

Order no.	Description	Page
51062	OxyPool 9,9 %	166
51064	ProfiClear Classic coarse debris extrac.	152
51065	ProfiClear Classic filter foam module	152
51066	ProfiClear Classic phosphate binder mod.	152
51069	LED Modul II 960 / DMX / 02	18
51071	Illumination Set PondJet	66
51082	Suction filter basket 200/100/15 E	194
51083	Suction filter basket 200/166/20 E	194
51084	Suction filter basket 200/250/25 E	194
51093	Anti-algae agent ASS 100	166
51108	Liner clamping flange 70 T	184
51117	Liner clamping flange 100 T	184
51120	Overfl. wall-inst. comb. armature 100 E	193
51123	Return armature 200/100 T	188
51141	Floor/wall transition 10-175 E	190
51142	Floor/wall transition 15-175 E	190
51143	Floor/wall transition 20-175 E	190
51145	Floor/wall transition F 10-175 E	190
51146	Floor/wall transition F 15-175 E	190
51147	Floor/wall transition F 20-175 E	190
51165	Ball Joint 10	197
51334	Underwater cable connector T 3	116
51341	Switchgear EL 100 W	124
51342	Switchgear EL 101 W	124
51343	Switchgear EL 110 W	124
51344	Switchgear EL 111 W	124
51394	Halogen reflector bulb 50 W, 30°, white	107
51446	UWS TN 508	106
51554	Electronic water level control 1	132
51556	Solenoid valve 1/2" 24 V	132
51557	Solenoid valve 1" 24 V	132
51559	Water level sensor 20-3	134
51740	Cable transition 2/15 E	114
51741	Cable transition 1/10 E	114
51753	Suction filter basket 350/185/80/100E	194
51756	Suction filter basket 600/280/150/200E	194
51759	Water sphere 2500	34
51760	Water sphere 3500	34
51761	Water sphere 6000	34
51762	Water hemisphere 2500	34
51763	Water hemisphere 3500	34
51764	Water hemisphere 6000	34
51838	Wind-dependent fountain control 3 K	136
51973	Debris sieve 70 E	184
51974	Debris sieve 100 E	184
52004	Atlantis 350	81
52218	Mylar lace nozzle 22 MS	56
52219	Mylar lace 4/025	56
52220	Mylar lace weight 20/100 MS	56
52602	Overflow/return box 100 E	192
52790	Floor/wall transition 40-175 E	190
52904	UWS T 111	108
52909	UWS TS 111	108
52939	Halogen reflector bulb 50W,24°,white G53	105
52941	Halogen reflector bulb 75W,24°,white G53	105
52942	Halogen reflector bulb 100 W, 10°, white	105
52943	Halogen reflector bulb 100 W, 24°, white	105
52981	Spiral hose green 1 1/2". 25 m	151
53013	Floor/wall transition F 40-175 E	190
53047	Fan Jet 15 - 8 E	36
53056	Fan Jet 10 - 6 E	36
53086	Inflow nozzle 15 E	190
53428	Crystal quartz sand	162
53834	SPA 22-23	86
53835	SPA 22-33	86
53839	SPA 35-23	86
53845	SPA 58-23	86
53846	SPA 58-33	86
53852	SPA 100-13	86
53854	SPA 100-33	86
53858	SPA 162-1-13	86
53859	SPA 162-13	86
53860	SPA 162-2-23	86
53864	SPA 280-1-13	86
53865	SPA 280-13	86
53866	SPA 280-2-23	86
53913	Anemometer K	136
53918	Water level sensor 20-4	134
54019	PondJet	60
54034	LunAqua 10	104
54035	Halogen bulb 35 W	105
54036	Halogen bulb 50 W	105

Order no.	Description	Page
54037	Halogen bulb 75 W	105
54755	Suction filter basket 350/350/125 E	194
54921	Wall Skimmer	164
55350	Hollow Jet Nozzle 130	30
55351	Backwash Automatic Eurotronik	162
55720	USP 413 D	82
55721	USP 412 W	82
55726	USP 513 D	82
55727	USP 512 W	82
55731	USP 663 D	82
55732	USP 662 W	82
55735	USP 813 D	82
55843	Supplemental electrode 2000-1	134
55845	Water level sensor 2000-3/5	134
55846	Electronic water level control 2	132
56133	ProfiLux 101 E	104
56506	USP H 673 D	82
56617	Aquarius Universal 5000	78
56636	Replacement bulb UVC 55 W	149
56734	USP Classic 200	80
56736	Replacement foam red BioTec 18 / 36	151
56737	Replacement foam blue BioTec 18 / 36	151
56812	Reflector bulb PAR 38, 12 V, 100 W, 30°	107
56873	AquaMax Expert 20000	89
56874	AquaMax Expert 30000	89
56875	AquaMax Expert 40000	89
56902	Bitron C 110 W	148
57041	BT 2.2-40-4	84
57044	BT 1.5-50-4	84
57046	BT 4.0-50-4	84
57048	BT 1.1-65-4	84
57051	BT 3.0-80-4	84
57052	BT 4.0-80-4	84
57053	BT 5.5-80-4	84
57056	BT 7.5-100-4	84
57057	BT 11.0-100-4	84
57060	BT 15.0-125-4	84
57075	PondJet	60
57083	Illumination set PondJet	66
57091	AquaMax Gravity Eco 10000	88
57092	AquaMax Gravity Eco 15000	88
57093	AquaMax Gravity Eco 20000	88
57097	Profinaut 6000	91
57129	BioTec ScreenMatic 36	150
57134	ProfiSkim 100	170
57427	LunAqua 5.1	106
57435	VarioSwitch 015a / 24 V	16
57462	Plug 100 T	184
57463	Overflow/drain armature 100/1000 T	186
57464	Cable transition 7/100 T	115
57465	Cable transition 12/100 T	115
57466	Standpipe 100/500 T	188
57467	Concrete part 100 T	115
57468	Plug 70 T	184
57469	Overflow/drain armature 70/1000 T	186
57470	Cable transition 4/70 T	115
57471	Concrete part 70 T	115
57472	VarioSwitch 010a / 24 V	16
57473	Liner clamping flange 70 T KD	115
57474	Liner clamping flange 100 T KD	115
57477	AquaActiv PhosLess Refill pack	172
57479	AquaAir 250	144
57480	Skimmer 250	171
57486	JunctionBox 8/M 20	116
57487	AquaAir 250	144
57488	Skimmer 250	171
58904	AirNozzle	20
58960	Projects LM	168
58970	Water Screen Nozzle	38
58975	Flashwall	22
89012	Comet 3 - 6 T / NPT	28
89013	Comet 5 - 8 T / NPT	28
89014	Comet 5 - 10 T / NPT	28
89015	Comet 10 - 12 T / NPT	28
89016	Comet 10 - 14 T / NPT	28
89017	Comet 15 - 17 T / NPT	28
89018	Comet 15 - 20 T / NPT	28

EXPLANATORY NOTES



Patent applied for



Patented

Definition of product performance



= not applicable



= applicable

Fresh Water	Pool Water	Sea Water

Water quality

Types	Fresh Water	Pool Water	Sea Water
pH-Wert pH value Valeur pH Valor pH	7.2 - 7.6	7.2 - 7.6	8.0
Härte Hardness Dureté Cloro libre	8 - 15 DH	8 - 15 DH	20 - 30 DH
Freies Chlor Free chlorine Chlore libre Dureza	< 0.3 mg/l	0.3 - 0.6 mg/l	< 0.3 mg/l
Chloridgehalt Chloride concentration Teneur en chlorure Contenido de cloruro	< 250 mg/l	< 200 mg/l	22000 mg/l
Salzgehalt Salinity Teneur en sel Contenido de sal	–	–	< 4.0 %
Gesamt trockenrückstand total dry residue Résidu sec total Residuo seco total	< 50 mg/l	< 50 mg/l	< 250 mg/l
Temperatur Temperature Température Temperatura	4° - 35° C	4° - 30° C	4° - 20° C

DMX	DMX/RDM	Plug and Spray



DMX is a communication protocol (Digital Multiplex). This product can use the Unidirectional DMX communication.



DMX/RDM The DMX-Bus now is bidirectional. This is possible because of the protocol expansion RDM (Remote Device Management). This product can use the Bidirectional DMX communication. The connecting technique stays unchanged (more on page 130).

Plug and Spray Through the special connection Technology for cables, wiring by hand is no longer necessary. Put the plug in the plug socket and fix them with the two screws to make it waterproof (IP68).

Water quality

Types	Fresh Water	Pool Water	Sea Water
pH-Wert pH value Valeur pH Valor pH	7.2 - 7.6	7.2 - 7.6	8.0
Härte Hardness Dureté Cloro libre	8 - 15 DH	8 - 15 DH	20 - 30 DH
Freies Chlor Free chlorine Chlore libre Dureza	< 0.036 moz/gal	0.036 - 0.072 moz/gal	< 0.036 moz/gal
Chloridgehalt Chloride concentration Teneur en chlorure Contenido de cloruro	< 30.28 moz/gal	< 24.2 moz/gal	2664.6 moz/gal
Salzgehalt Salinity Teneur en sel Contenido de sal	–	–	< 4.0 %
Gesamt trockenrückstand total dry residue Résidu sec total Residuo seco total	< 6.06 moz/gal	< 6.06 moz/gal	< 30.28 moz/gal
Temperatur Temperature Température Temperatura	39° - 95° F	39° - 86° F	39° - 68° F

NEW PRODUCT NAMES FROM 01.01.2012

Part Number	Description – old	Description – new	Remarks
50367	Profilux LED 12 V /01	Profilux LED 370 12 V /01	Lumen inside the product name
50474	Profilux LED 24 V /01	Profilux LED 370 24 V /01	Lumen inside the product name
50136	Varionaut 1 24V / DMX / 01	Varionaut 90 24V / DMX / 02	Flowrate l/min
50665	Varionaut 2 24V / DMX / 02	Varionaut 150 24V / DMX / 02	Flowrate l/min
50343	Varionaut 2 / DMX / 02	Varionaut 150 / DMX / 02	Flowrate l/min
50526	Varionaut 3 / DMX / 02	Varionaut 365 / DMX / 02	Flowrate l/min
51165	SWIVEL, BALL JOINT 1" SS	Ball Joint 10	
50376	Grand Vulcan 3"	Vulcan 30	
50378	Trumpet Jet 3"	Trumpet Jet 30	
50375	High Jet 3"	High Jet 30	
50377	Geyser Jet 3"	Geyser Jet 30	
54921	OASE-SKIMMER TYP 250 E	Wall Skimmer	
56734	USP Classic 70	USP Classic 200	Flowrate l/min
52004	Atlantis 200	Atlantis 350	Flowrate l/min

ABBREVIATIONS

A. Area	MA. Material
AF. Filter area	MBD. Minimum pool diameter
ASW. Beam angle	n. Speed
b, b1, b2, b3. Width	O. Surface
d, d1, d2, d3. Diameter	p. pressure
Da. Diameter external	P. Power
DAS. Nozzle delivery jet diameter	PH. Parabola height
DD. Diameter pressure connection	PH%. Parabola height in percent
DDB. Nozzle pressure requirement	PN. Nominal pressure
DDG. Nozzle diameter (greatest)	PW. Parabola width
Di. Diameter interior	Q. Flow, volume flow
DID. Nozzle injector diameter	r. Radius
DN. Nominal diameter	R. Electrical resistance
DNa. Nominal diameter output	RRW. Pipe frictional resistance
DNe. Nominal diameter input	SB. Slot width
DS. Diameter suction connection	SL. Slot length
DAW. Nozzle adjustment angle	SPB. Spray width
DSD. Nozzle spray diameter	s. Thickness
DWB. Nozzle water requirement	t. Time, time-frame, duration
E. Luminous intensity	U. Voltage
FH. Fountain height	v. Flow velocity
FL. Flange	V= Direct current
G. Thread	w. Distance to water level
GW. Weight	x, x1, x2, x3. Distance general
h, h1, h2, h3. Height	z. Quantity general
H. Pump delivery head	za. Number of outlets
I. Current strength	zd. Number of nozzles
I. Light intensity	ze. Number of inlets
l, l1, l2, l3. Length	zl. Number of holes
KD. Calyx diameter	zp. Number of pumps
KH. Calyx height	zs. Number of spotlights
LW. Clear opening	

CONVERSION TABLES

Liter			
1,0	l (Liter)	=	0,2642 US Gal (gallon)
1,0	US Gal (gallon)	=	3,7851 l (Liter)
1,0	l (Liter)	=	0,2200 UK Gal
1,0	UK Gal	=	4,5460 l (Liter)
Liter pro minute			
1,0	l (Liter)/ min	=	15,8520 US Gph (gallons per hour)
1,0	US Gph (gallon per hour)	=	0,0631 l (Liter)/ min
1,0	l (Liter) / min	=	13,2000 UK Gph (gallons per hour)
1,0	UK Gph (gallon per hour)	=	0,0758 l (Liter) / min
Meter/Kilometer			
1,0	m (Meter)	=	3,2810 ft (feet)
1,0	ft (foot)	=	0,3048 m (Meter)
1,0	m (Meter)	=	39,3700 In. (Inch)
1,0	In. (Inch)	=	0,0254 m (Meter)
1,0	m (Meter)	=	1,0936 yd (Yard)
1,0	yd (Yard)	=	0,9144 m (Meter)
1,0	km (Kilometer)	=	0,5310 nmi (Nautic Miles (Int))
1,0	nmi (Nautic Mile (Int))	=	1,8520 km (Kilometer)
Quadratmeter			
1,0	m ² (Quadratmeter)	=	10,7527 sq.ft (square feet)
1,0	sq.ft (square foot)	=	0,0930 m ² (Quadratmeter)
1,0	ha = 10000 m ²	=	2,4691 acres
1,0	acre	=	0,4050 ha (Hektar)
Kilogramm			
1,0	kg (Kilogramm)	=	2,2046 lb. (pound) avdp
1,0	avdo. lb.	=	0,4536 kg (Kilogramm)
Kilowatt			
1,0	kW (Kilowatt)	=	1,3410 hp (horsepower)
1,0	hp (horsepower)	=	0,7457 kW (Kilowatt)
Grad			
0,0	°C (Grad Celsius)	=	32 °F (Grad Fahrenheit)
20,0	°C (Grad Celsius)	=	68 °F (Grad Fahrenheit)
0,0	°F (Grad Fahrenheit)	=	-17,8 °C (Grad Celsius)
50,0	°F (Grad Fahrenheit)	=	10,0 °C (Grad Celsius)
A	To compute Fahrenheit:	Multiply Centigrade by 1,8 and add 32	
B	To compute Centigrade:	Subtract 32 from Fahrenheit and divide by 1,8	



FOUNTAINS & LAKES (INTERNATIONAL, ORDER-RELATED)

Order no.	Description	Packing unit
50338	BEST LED /DMX/01	5
57038	BT 0.55-40-4	1
57039	BT 0.75-40-4	1
57040	BT 1.1-40-4	1
57043	BT 1.1-50-4	1
57049	BT 1.5-65-4	1
57058	BT 15.0-100-4	1
57059	BT 18.5-100-4	1
57061	BT 18.5-125-4	1
57050	BT 2.2-80-4	1
57062	BT 22.0-125-4	1
57042	BT 3.0-40-4	1
57045	BT 3.0-50-4	1
57055	BT 5.5-100-4	1
57047	BT 5.5-50-4	1
57054	BT 7.5-80-4	1
56129	Colour lens blue, LunAqua 10	10
56131	Colour lens green, LunAqua 10	10
56132	Colour lens red, LunAqua 10	10
56130	Colour lens yellow, LunAqua 10	10
51440	Colour lens for UWS TN 508, blue	10
51442	Colour lens for UWS TN 508, green	10
51439	Colour lens for UWS TN 508, red	10
51441	Colour lens for UWS TN 508, yellow	10
56780	Comet 10 - 12 T long	5
50218	Comet 10 - 14 T long	5
50957	Comet 3 - 3 T	20
50958	Comet 3 - 4 T	20
50143	FlexyJet 6	1

Order no.	Description	Packing unit
51006	Fountain ring 1000/36/4	1
51008	Fountain ring 1500/54/4	1
51010	Fountain ring 2000/72/4	1
51002	Fountain ring 500/18/4	1
51004	Fountain Ring 750/24/4	1
50972	Hollow Jet Nozzle HS 70/3,5 E	1
50212	Illumination set FlexyJet	1
50360	JunctionBox 10/M 20/Trafo	2
57485	JunctionBox 4/M 32	2
50892	Lava 100-15 E	3
50891	Lava 60 - 10 E	3
50334	NozzleStar LED /DMX/01	5
53853	SPA 100-23, 3 x 400V / 50Hz, YD, 7,5kW	1
53836	SPA 22-43, 3 x 400V / 50Hz, 2,2kW	1
53840	SPA 35-33, 3 x 400V / 50Hz, 3,0kW	1
53841	SPA 35-43, 3 x 400V / 50Hz, 4,0kW	1
53847	SPA 58-43, 3 x 400V / 50Hz, YD, 7,5kW	1
50336	TwinStar LED /DMX/01	5
56502	USP H 422 W, 1 x 230V / 50Hz, 0,92kW	2
56503	USP H 423 D, 3 x 400V / 50Hz, 0,98kW	2
56504	USP H 522 W, 1 x 230V / 50Hz, 1,27kW	2
56505	USP H 523 D, 3 x 400V / 50Hz, 1,28kW	2
57288	UWS K 300	10
51984	Reflector bulb PAR56, 12V, 300W, 36-18°	10
50999	Vulkan 200/19-6 T	2

OASE-COMMERCIAL QUICKFINDER

MISCELLANEOUS

OASE-COMMERCIAL QUICKFINDER

Order no.	Product name	Fresh Water	Pool Water	Sea Water	220-240 V	400 V	110-120 V	50 Hz	60 Hz	12 V AC	24 V DC	DMX	DMX/RDM	Plug and Spray	Page
Nozzles															
58904	AirNozzle	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	20
50911	Cascade 50 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	48
50912	Cascade 70 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	48
50915	Cascade 90 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	48
50916	Cascade 110 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	48
50917	Cascade 130 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	48
50721	Comet 3 - 6 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	26
50762	Comet 5 - 8 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	26
50722	Comet 5 - 10 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	26
50723	Comet 10 - 14 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	26
50724	Comet 15 - 17 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	26
50523	Comet Prec 20 - 20 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	26
50959	Comet 3 - 5 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50960	Comet 3 - 6 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50964	Comet 5 - 8 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50965	Comet 5 - 10 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50968	Comet 10 - 12 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50969	Comet 10 - 14 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50970	Comet 15 - 17 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
50971	Comet 15 - 20 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89012	Comet 3 - 6 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89013	Comet 5 - 8 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89014	Comet 5 - 10 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89015	Comet 10 - 12 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89016	Comet 10 - 14 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89017	Comet 15 - 17 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
89018	Comet 15 - 20 T / NPT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	28
53056	Fan Jet 10 - 6 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	36
53047	Fan Jet 15 - 8 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	36
58975	Flashwall	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	22
50991	Geyser 20 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	52
50992	Geyser 40 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	52
50993	Geyser 60 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	52
50994	Geyser 80 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	52
50995	Geyser 100 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	52
50377	Geyser Jet 30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	32
50767	Gushing nozzle 115 - 15 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	36
50375	High Jet 30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	32
50966	Hollow Jet Nozzle 68	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	30
50973	Hollow Jet Nozzle 100	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	30
55350	Hollow Jet Nozzle 130	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	30
50963	Hollow Jet Nozzle 130	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	30
50528	JumpingJet Rainbow Flash II /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	14
50345	JumpingJet Rainbow Star /DMX/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	12
50884	Lava 25 - 5 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	33
50889	Lava 30-10 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	33
50890	Lava 45-10 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	33
51069	LED Modul II 960 / DMX / 02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	18
50702	Multi Directional Drive II /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	18
52219	Mylar lace 4/025	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	56
52218	Mylar lace nozzle 22 MS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	56
52220	Mylar lace weight 20/100 MS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	56
50967	Rotating nozzle 5 - 15 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	42
50473	Rotating nozzle 5 - 30 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	42
50984	Schaumsprudler 35 - 10 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	44
50986	Schaumsprudler 55 - 10 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	44
50987	Schaumsprudler 55 - 15 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	44
50768	Schaumsprudler 75 - 20 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	44
50378	Trumpet Jet 30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	40
50253	VarioSwitch 010a / 12 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	16
57472	VarioSwitch 010a / 24 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	16
50254	VarioSwitch 015a / 12 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	16
57435	VarioSwitch 015a / 24 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	16
50376	Vulcan 30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	40
50766	Vulcan 43 - 3 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	41
50977	Vulcan 300 / 19 - 8 silver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	41
50897	Water hemisphere 900	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
50898	Water hemisphere 1200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
50899	Water hemisphere 1500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
51762	Water hemisphere 2500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
51763	Water hemisphere 3500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
51764	Water hemisphere 6000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
58970	Water Screen Nozzle	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	38

Order no.	Product name	Fresh Water	Pool Water	Sea Water	220-240 V	400 V	110-120 V	50 Hz	60 Hz	12 V AC	24 V DC	DMX	DMX/RDM	Plug and Spray	Page
50894	Water sphere 900	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
50895	Water sphere 1200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
50896	Water sphere 1500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
51759	Water sphere 2500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
51760	Water sphere 3500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
51761	Water sphere 6000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34
Floating Fountains															
50479	Illumination set MIDI/MAXI/AirFlo LED/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	66
57083	Illumination set PondJet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	66
51071	Illumination set PondJet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	66
50371	MAXI II 4,0 kW / 400 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	62
50374	MAXI II 5HP / 3-Phase	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	62
50365	MIDI II 1,1 kW / 230 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	62
50370	MIDI II 2,2 kW / 400 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	62
50372	MIDI II 2HP / 230V 60Hz	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	62
57075	PondJet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	60
54019	PondJet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	60
Pumps															
56873	AquaMax Expert 20000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	89
56874	AquaMax Expert 30000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	89
56875	AquaMax Expert 40000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	89
57091	AquaMax Gravity Eco 10000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	88
57092	AquaMax Gravity Eco 15000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	88
57093	AquaMax Gravity Eco 20000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	88
56617	Aquarius Universal 5000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	78
51038	Atlantis 100	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	79
52004	Atlantis 350	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	81
57048	BT 1.1-65-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57044	BT 1.5-50-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57041	BT 2.2-40-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57051	BT 3.0-80-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57046	BT 4.0-50-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57052	BT 4.0-80-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57053	BT 5.5-80-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57056	BT 7.5-100-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57057	BT 11.0-100-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
57060	BT 15.0-125-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	84
50296	Profimax 7000 USA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	90
57097	Profinaut 6000 USA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	91
53834	SPA 22-23	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53835	SPA 22-33	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53839	SPA 35-23	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53845	SPA 58-23	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53846	SPA 58-33	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53852	SPA 100-13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53854	SPA 100-33	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53858	SPA 162-1-13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53859	SPA 162-13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53860	SPA 162-2-23	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53864	SPA 280-1-13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53865	SPA 280-13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
53866	SPA 280-2-23	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	86
55721	USP 412 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
55720	USP 413 D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
55727	USP 512 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
55726	USP 513 D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
55732	USP 662 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
55731	USP 663 D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
55735	USP 813 D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
56506	USP H 673 D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	82
56734	USP Classic 200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	80
50136	Varionaut 90 24 V /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	70
50309	Varionaut 1 /A/ DMX/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	70
50665	Varionaut 150 24V / DMX /02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	72
50343	Varionaut 150 /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	74
50344	Varionaut 2 /A/ DMX/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	74
50526	Varionaut 365 /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	76
Illumination															
50978	Freestand Light	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	110
54035	Halogen bulb 35 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
54036	Halogen bulb 50 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
54037	Halogen bulb 75 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
52942	Halogen reflector bulb 100 W, 10°, white	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
52943	Halogen reflector bulb 100 W, 24°, white	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
51394	Halogen reflector bulb 50 W, 30°, white	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	107
52939	Halogen reflector bulb 50W,24°,white G53	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
52941	Halogen reflector bulb 75W,24°,white G53	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	105
50786	Lamp Holder	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	110
54034	LunAqua 10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	104
50366	LunAqua 10 LED /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	102
57427	LunAqua 5.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	106
50717	ProfiLux LED 320 /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	94
50718	ProfiRing LED 320 /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	96

Order no.	Product name	Fresh Water	Pool Water	Sea Water	220-240 V	400 V	110-120 V	50 Hz	60 Hz	12 V AC	24 V DC	DMX	DMX/RDM	Plug and Spray	Page
50719	ProfiPlane LED 320 /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	98
56133	ProfiLux 101 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	104
50367	ProfiLux LED 370 12 V /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	102
50474	ProfiLux LED 370 24 V /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	102
56812	Reflector bulb PAR 38, 12V, 100 W, 30°	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	107
50720	Underwater LED Driver /DMX/02	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	100
52904	UWS T 111	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	108
52909	UWS TS 111	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	108
51446	UWS TN 508	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	106
Power - Measure - Control - Regulate															
53913	Anemometer K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	136
51741	Cable transition 1/10 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	114
51740	Cable transition 2/15 E	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	114
57470	Cable transition 4/70 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
57464	Cable transition 7/100 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
57465	Cable transition 12/100 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
50500	Command Center 2HP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	138
50502	Command Center 5HP / 3-Phase	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	138
57471	Concrete part 70 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
57467	Concrete part 100 T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
12768	Connection cable 12 V AC / 1,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12374	Connection cable 12 V AC / 3,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12375	Connection cable 12 V AC / 7,5 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
11740	Connection cable 12 V AC / 15,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12762	Connection cable 24 V DC / 1,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12552	Connection cable 24 V DC / 3,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12553	Connection cable 24 V DC / 7,5 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
11720	Connection cable 24 V DC / 15,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12368	Connection cable DMX / 1,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
12369	Connection cable DMX / 3,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
12371	Connection cable DMX / 5,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
12372	Connection cable DMX / 10,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
12373	Connection cable DMX / 20,0 m /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
50175	Easy Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	126
50289	Easy Control	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	126
51554	Electronic water level control 1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	132
55846	Electronic water level control 2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	132
12007	End resistant for BUS-system DMX/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
50728	Extension cable hybrid / 3,0 m	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	120
57486	JunctionBox 8/M 20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	116
50358	JunctionBox 14/M 20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	116
57473	Liner clamping flange 70 T KD	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
57474	Liner clamping flange 100 T KD	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	115
50492	PowerBox 12 V AC /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
50493	PowerBox 24 V DC /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	118
12808	Service Pack 12 V AC/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	119
12810	Service Pack 24 V DC/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	119
12807	Service Pack DMX/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	121
51556	Solenoid valve 1/2" 24 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	132
51557	Solenoid valve 1" 24 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	132
55843	Supplemental electrode 2000-1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	134
51341	Switchgear EL 100 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	124
51342	Switchgear EL 101 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	124
51343	Switchgear EL 110 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	124
51344	Switchgear EL 111 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	124
51334	Underwater cable connector T 3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	116
50733	Underwater power supply 250 / 24 V /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	122
50401	Underwater transformer UST 150 /01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	122
50517	Underwater transformer UST 150 /A/01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	122
55845	Water level sensor 2000-3/5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	134
51559	Water level sensor 20-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	134
53918	Water level sensor 20-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	134
50596	WECS 1024	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	128
50597	WECS 2048	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	128
51838	Wind-dependent fountain control 3 K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	136
Water Quality															
50433	AFM filter medium	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	162
50183	AirFlo 1,5 kW / 230 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	146
50185	AirFlo 4,0 kW / 400 V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	146
51093	Anti-algae agent ASS 100	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	166
50549	AquaActiv AlGo Direct 5 l	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	172
50545	AquaActiv AlGo Universal 5 l	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	172
50558	AquaActiv OptiPond 5 l	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	172
57477	AquaActiv PhosLess Refill pack	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	172
50561	AquaActiv SediFree 5 l	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	172
50571	AquaActiv Wasseranalyse Profi-Set	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	172
57479	AquaAir 250	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	144
57487	AquaAir 250 / A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	144
55351	Backwash Automatic Eurotronik	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	162
57129	BioTec ScreenMatic 36	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	150
56902	Bitron C 110 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	148
50946	Bitron Gravity 55 W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	148

Order no.	Product name	Fresh Water	Pool Water	Sea Water	220-240 V	400 V	110-120 V	50 Hz	60 Hz	12 V AC	24 V DC	DMX	DMX/RDM	Plug and Spray	Page
37143	Bottom drain BD 100														153
51036	Buffer solution calibration set														166
50434	Clear Fountain System														166
58960	Clear Lake System 250/500														168
58960	Clear Lake System 5000/20000														168
53428	Crystal quartz sand														162
51062	OxyPool														166
51064	ProfiClear Classic coarse debris extrac.														152
51065	ProfiClear Classic filter foam module														152
51066	ProfiClear Classic phosphate binder mod.														152
51061	ProfiClear Classic pump chamber														152
50775	ProfiClear Premium drum filter gravity														152
50773	ProfiClear Premium drum filter pump-fed														152
50771	ProfiClear Premium Individual Module														152
50772	ProfiClear Premium Moving Bed Module														152
57134	ProfiSkim 100														170
56636	Replacement bulb UVC 55 W														149
56737	Replacement foam blue BioTec 18 / 36														151
56736	Replacement foam red BioTec 18 / 36														151
50431	Sand filter D 600														162
50432	Sand filter D 800														162
57480	Skimmer 250														171
57488	Skimmer 250/A														171
51034	Sonde Ph														166
51035	Sonde Redox														166
52981	Spiral hose green 1 1/2", 25 m														151
36500	Spiral hose green 2", 20 m														151
50272	StrataFlo 2 2HP														146
50274	StrataFlo 2 5HP / 3-Phase														146
54921	Wall Skimmer														164
Accessories															
51026	Adapter G 10 / NPT 10														196
51027	Adapter G 15 / NPT 15														196
51028	Adapter G 20 / NPT 20														196
51029	Adapter G 30 / NPT 30														196
51165	Ball Joint 10														197
51973	Debris sieve 70 E														184
51974	Debris sieve 100 E														184
51141	Floor/wall transition 10-175 E														190
51142	Floor/wall transition 15-175 E														190
51143	Floor/wall transition 20-175 E														190
52790	Floor/wall transition 40-175 E														190
51145	Floor/wall transition F 10-175 E														190
51146	Floor/wall transition F 15-175 E														190
51147	Floor/wall transition F 20-175 E														190
53013	Floor/wall transition F 40-175 E														190
51033	Flow Valve 10														197
51022	Hexagon nippel 10 silver														196
51023	Hexagon nippel 15 silver														196
51024	Hexagon nippel 20 silver														196
51025	Hexagon nippel 30 silver														196
53086	Inflow nozzle 15 E														190
51058	Installation kit Jumpinglet Rainbow Star														197
51108	Liner clamping flange 70 T														184
51117	Liner clamping flange 100 T														184
50477	NozzleChamber Single														182
50478	NozzleChamber Vario														182
51120	Overfl. wall-inst. comb. armature 100 E														193
57469	Overflow/drain armature 70/1000 T														186
57463	Overflow/drain armature 100/1000 T														186
52602	Overflow/return Box 100 E														192
57468	Plug 70 T														184
57462	Plug 100 T														184
51032	Reducing sleeve 15 x 10														197
51030	Reducing sleeve 20 x 15														197
51123	Return armature 200/100 T														188
51018	Sleeve 10 silver														196
51019	Sleeve 15 silver														196
51020	Sleeve 20 silver														196
51021	Sleeve 30 silver														196
57466	Standpipe 100/500 T														188
51082	Suction filter basket 200/100/15 E														194
51083	Suction filter basket 200/166/20 E														194
51084	Suction filter basket 200/250/25 E														194
51753	Suction filter basket 350/185/80/100E														194
54755	Suction filter basket 350/350/125 E														194
51756	Suction filter basket 600/280/150/200E														194
51015	Swivel connection 10 silver														196
51016	Swivel connection 15 silver														196
51017	Swivel connection 20 silver														196

NOTES



MISCELLANEOUS

NOTES

A large, empty grid of small squares, typical of graph paper, intended for taking notes. The grid covers most of the page area below the header and above the footer.

OASE GmbH

Post Box 20 69
48469 Hörstel
Germany
☎ +49 5454 80-0
☎ +49 5454 80-322
✉ info.ft@oase-livingwater.com



OASE (UK) LTD.

3 Telford Gate
Whittle Road
West Portway Industrial Estate
Andover
Hampshire SP10 3SF
Great Britain
☎ +44 1264 3332 25
☎ +44 1264 3332 26
✉ enquiries@oase-livingwater.com

OASE B.V.

Dooren 107
1785 Merchtem
België/Belgique
☎ +31 900 246 22 10
☎ +31 800 023 01 86
✉ info.nl@oase-livingwater.com (NL)

OASE B.V.B.A.

Dooren 107
1785 Merchtem
België/Belgique
☎ +32 52 48 47 60
☎ +32 52 48 47 61
✉ info.be@oase-livingwater.com (B)

OASE S.A.

Avenue de la Marne
Parc du Molinel
Bât F – Rez de Chaussée
59290 WASQUEHAL
France
☎ +33 3 20 82 00 45
☎ +33 3 20 82 99 32
✉ info.fr@oase-livingwater.com

OASE Casa y Jardín S.L.

Polígono Sta. Ana
C/Polea 1
28522 Rivas Vaciamadrid
Spain
☎ +34 91 499 07 29
☎ +34 91 666 56 87
✉ info.es@oase-livingwater.com

OASE Kereskedelmi Kft

Buda Center
Budapest I
Hegyalja út 7-13
1016 Budapest
Hungary
☎ +36 1 393 50 40
☎ +36 1 393 50 41
✉ info.hu@oase-livingwater.com

OASE Spółka z o.o.

Al. Jerozolimskie 200
lok 538
02-486 Warszawa
Poland
☎ +48 2 23 23 71 13
☎ +48 2 23 23 71 15
✉ info.pl@oase-livingwater.com

OASE Türkiye

Bilezik Sok.
Lugal İşhanı A Blok 5/6
34427 Fındıklı/İSTANBUL
☎ +90 212 292 49 60
☎ +90 212 292 49 61
✉ info.tr@oase-livingwater.com

OASE Asia Pacific PTE Ltd.

7030 Ang Mo Kio Ave 5
#08-69
Northstar@Ang Mo Kio
Singapore 569880
☎ +65 6337 2838
☎ +65 6337 6878
✉ info@oase-livingwater.com.sg

OASE Middle East FZE

Dubai Airport Free Trade Zone
East Wing Building 1E Unit 301
P.O. Box 54966
Dubai, U.A.E
☎ +971 4 2994847
☎ +971 4 2994840
✉ uae@oase-livingwater.com.sg

OASE China

No.140 Tian Lin Road,
Surpass Space, Block 15, Unit T & U,
Xu Hui District
Shanghai 200233
☎ +86 21 3461 0672
☎ +86 21 3461 0703
✉ info@oase-livingwater.cn

OASE North America, Inc.

845 Palm Drive
Hermosa Beach
CA 90254
USA
☎ +1 800 365 3880
☎ +1 800 262 7339
✉ info@oase-livingwater.us

www.oase-livingwater.com